



CITY OF TUKWILA
Department of Community Development
6300 Southcenter Boulevard, Tukwila, WA 98188
Telephone: (206) 431-3670

SEPA PLANNED ACTION

INFORMATION

In 1992 a programmatic environmental impact statement (EIS) was prepared for the Duwamish Corridor master plan, a proposal to redevelop Boeing properties in Tukwila's Manufacturing Industrial Center (MIC) over a 10 year period. This current subarea plan/EIS updates and extends the previous analysis of the corridor's Boeing properties (about 650 acres) to the entire MIC subarea (about 1,370 acres). It also builds on the information developed for the City's Comprehensive Plan and Comprehensive Plan EIS efforts of 1994.

The Proposed Action applies the "planned action" option for SEPA review as the center of a permit streamlining program of early, comprehensive environmental review, and supporting capital and regulatory revisions.

REQUIREMENTS: Planned actions are developments that satisfy all of the criteria in [TMC 21.04.152](#) (Planned Actions Identified). A proposal must initially qualify as a planned action, then pass a second screen to ensure consistency with the Comprehensive Plan and mitigation of all significant negative environmental impacts.

The initial qualification criteria are summarized below.

1. The action is a "permitted use" located within the MIC/L (TMC 18.36.020) and MIC/H (TMC 18.38.020) zones and/or is an accessory use (TMC 18.36.030 and 18.38.030 respectively).
2. The action is:
 - a. not an "essential public facility" as defined in RCW 36.70.200 and TMC 18.06.270,
 - b. not a conditional or unclassified use, in the respective MIC/L or MIC/H zones,
 - c. not a development, any portion of which includes shoreline modifications waterward of the ordinary high water mark,
 - d. not a development associated with 16th Avenue Bridge construction activities.

PROCEDURES: A Planned Action application form may be submitted with the underlying development permit. At the time you submit your application you must have all of the items listed on the attached "Complete Application Checklist." You may request a waiver from items on the checklist that are not applicable to your project. Please discuss this waiver request with City staff either at a pre-application meeting or at the time of application submittal.

Within 28 days of receiving your application, City staff will determine if it is complete based on the attached checklist. If not complete City staff will mail to you a letter outlining what additional information is needed. If you do not submit requested materials within 90 days from the City's request for additional information the City may cancel your application.

City staff will review the development for substantive impacts and consistency with the Comprehensive Plan. The SEPA Responsible Official will decide if a development qualifies as a planned action.

COMPLETE APPLICATION CHECKLIST

The materials listed below must be submitted with your application unless specifically waived in writing by the Public Works Department and the Department of Community Development. Please contact each Department if you feel that certain items are not applicable to your project and should be waived. Application review will not begin until it is determined to be complete. **ADDITIONAL MATERIALS MAY BE REQUIRED.**

The initial application materials allow project review to begin and vest the applicant's rights. However, the City may require additional information as needed to establish consistency with development standards.

City staff are available to answer questions about application materials at 206-431-3670 (Department of Community Development) and 206-433-0179 (Department of Public Works).

Check items submitted with application	Information Required. <i>May be waived in unusual cases, upon approval of both Public Works and Planning</i>
APPLICATION MATERIALS:	
	1. Application Checklist (1 copy) indicating items submitted with application.
	2. Completed ESA Screening Checklist and Planned Action Criteria Checklist.
	3. One set of all drawings submitted with the Planned Action reduced to 8 1/2" x 11" or 11" x 17".
	4. Application Fee: See Land Use Fee Schedule .
	5. Underlying permit application that triggers SEPA Review.
PROJECT DESCRIPTION AND ANALYSIS:	
	6. Vicinity Map with site location.
	7. Provide two copies of sensitive area studies such as wetland or geotechnical reports if needed per Tukwila's Sensitive Areas Ordinance (TMC 18.45). See Geotechnical Report Guidelines and Sensitive Area Special Study Guidelines for additional information.
	8. Provide four (4) copies of any drawings needed to describe the proposal other than those submitted with the underlying permit. Maximum size 24" x 36".



CITY OF TUKWILA
 Department of Community Development
 6300 Southcenter Boulevard, Tukwila, WA 98188
 Telephone: (206) 431-3670

**SEPA PLANNED
 ACTION**

APPLICATION

<i>FOR STAFF USE ONLY Permits Plus Type: P-PACT</i>	
Planner:	File Number:
Application Complete Date:	Project File Number:
Application Incomplete Date:	MIC Planned Action EIS File Number:
Other File Numbers:	

NAME OF PROJECT/DEVELOPMENT: _____

BRIEF DESCRIPTION OF SCOPE OF WORK _____

LOCATION OF PROJECT/DEVELOPMENT: *Give street address or, if vacant, indicate lot(s), block and subdivision, access street, and nearest intersection.*

LIST ALL TAX LOT NUMBERS (this information may be found on your tax statement).

DEVELOPMENT COORDINATOR :

The individual who:

- has decision making authority on behalf of the owner/applicant in meetings with City staff,
- has full responsibility for identifying and satisfying all relevant and sometimes overlapping development standards, and
- is the primary contact with the City, to whom all notices and reports will be sent.

Name: _____

Address: _____

Phone: _____ FAX: _____

E-mail: _____

Signature: _____ Date: _____



CITY OF TUKWILA

Department of Community Development

6300 Southcenter Boulevard, Tukwila, WA 98188

Telephone: (206) 431-3670 FAX: (206) 431-3665

AFFIDAVIT OF OWNERSHIP AND HOLD HARMLESS PERMISSION TO ENTER PROPERTY

STATE OF WASHINGTON

ss

COUNTY OF KING

The undersigned being duly sworn and upon oath states as follows:

1. I am the current owner of the property which is the subject of this application.
2. All statements contained in the applications have been prepared by me or my agents and are true and correct to the best of my knowledge.
3. The application is being submitted with my knowledge and consent.
4. Owner grants the City, its employees, agents, engineers, contractors or other representatives the right to enter upon Owner's real property, located at _____ for the purpose of application review, for the limited time necessary to complete that purpose.
5. Owner agrees to hold the City harmless for any loss or damage to persons or property occurring on the private property during the City's entry upon the property, unless the loss or damage is the result of the sole negligence of the City.
6. Non-responsiveness to a City information request for ninety (90) or more days, shall be cause to cancel the application(s) without refund of fees.

EXECUTED at _____ (city), _____ (state), on _____, 20_____

(Print Name)

(Address)

(Phone Number)

(Signature)

On this day personally appeared before me _____ to me known to be the individual who executed the foregoing instrument and acknowledged that he/she signed the same as his/her voluntary act and deed for the uses and purposes mentioned therein.

SUBSCRIBED AND SWORN TO BEFORE ME ON THIS _____ DAY OF _____, 20_____

NOTARY PUBLIC in and for the State of Washington
residing at _____

My Commission expires on _____

PLANNED ACTION CRITERIA CHECKLIST

To determine if the proposed project meets the criteria for consideration as a planned action please answer the following questions:

1. Is the proposal a permitted and/or accessory use located within the MIC/L (TMC 18.36) or MIC/H (TMC 18.38) zones? Uses listed as “conditional” or “unclassified” are not eligible for the planned action process.

2. Will all of the impacts of the proposal be mitigated by the time the project is complete? Please document all mitigation measures, using attachments if necessary.

3. Is the proposal consistent with the applicable sections of the Tukwila Comprehensive Plan?

4. Is the proposal any of the following:
 - a. an “essential public facility” as defined in RCW 36.70.200 or TMC 18.06.270;

 - b. a development related to the Regional Transit Authority light rail or commuter rail system;

 - c. a decision about the 16th Avenue Bridge improvement or disposition which would normally require a SEPA threshold determination; or

 - d. a development in which any portion includes shoreline modifications waterward of the ordinary high water mark?

If the answer to any of questions “a” through “d” is yes, the proposal is not eligible for the planned action process.

City of Tukwila Endangered Species Act Screening Checklist

Date: _____

Applicant Name: _____

Street Address: _____

City, State, Zip: _____

Telephone: _____

DIRECTIONS:

This Screening Checklist has been designed to evaluate the potential for your project to result in potential “take” of Chinook salmon, Coho salmon, or Cutthroat trout as defined by Section 9 of the Endangered Species Act. The checklist includes a series of “Yes” or “No” questions about your project, organized into four parts. Starting with Part A on Page 2, read each question carefully, mark the appropriate “Yes” or “No,” and **proceed to the next question as directed by the checklist**. To answer these questions, you may need to refer to site plans, grading and drainage plans, critical areas studies, or other documents you have prepared for your project. The City will evaluate your responses to determine if “take” is indicated.

Part A: Please review and answer each question carefully. Consider all phases of your project including, but not limited to, construction, normal operation, potential emergency operation, and ongoing and scheduled maintenance. Continue to the next question as directed for each No or Yes answer.

1-0	<p>Will the project require any form of grading? Grading is defined as any excavating, filling, clearing, or creation of impervious surface, or any combination thereof, which alters the existing ground surface of the earth (TMC 18.06.370). Please mark the appropriate response.</p> <p>NO - Continue to Question 2-0 YES - Continue to Question 1-1 (Page 3)</p>
2-0	<p>Will the project require any form of clearing? Clearing means the removal or causing to be removed, through either direct or indirect actions, any vegetation from a site (18.06.145). Please mark the appropriate response.</p> <p>NO - Continue to Question 3-0 YES - Continue to Question 2-1 (Page 4)</p>
3-0	<p>Will the project require work, during any time of the project, below the ordinary high water mark of a watercourse or the Green/Duwamish or Black Rivers or in wetlands? Ordinary high water mark is the mark that is found by examining the bed and banks of a stream and ascertaining where the presence and action of waters are so common and usual as to distinctly mark the soil from that of the abutting upland, in respect to vegetation (see TMC Chapter 18.06, Page 18-15). Please mark the appropriate response.</p> <p>NO - Continue to Question 4-0 YES - Continue to Question 3-1 (Page 5)</p>
4-0	<p>Will the project result in the processing or handling, storage, or treatment of hazardous substances? This does not include the proper use of fuel stored in a vehicle's fuel tank. Hazardous substances are any liquid, solid, gas, or sludge, including any material, substance, product, commodity, or waste, regardless of quantity, that exhibits the characteristics or criteria of hazardous waste as defined by Washington Administrative Code 173-303 (TMC 18.06.385). This includes fuel or other chemicals stored on-site during construction. Please mark the appropriate response.</p> <p>NO - Continue to Question 5-0 YES - Continue to Question 5-0</p>
5-0	<p>Will the project result in the withdrawal, injection, or interception of groundwater? Examples of projects that may affect groundwater include, but are not limited to: construction of a new well, change in water withdrawals from an existing well, projects involving prolonged construction dewatering, projects installing French drains or interceptor trenches, and sewer lines. For the purpose of this analysis, projects that require a geotechnical report pursuant to the requirements of TMC 18.45.060 or would require a geotechnical report if not exempt should answer Yes. Please mark the appropriate response.</p> <p>NO - Continue to Question 6-0 YES - Continue to Question 6-0</p>

6-0	<p>Will the project involve landscaping or re-occurring outdoor maintenance that includes the regular use of fertilizers, pesticides, or herbicides? This does not include the one-time use of transplant fertilizers. Landscaping means natural vegetation such as trees, shrubs, groundcover, and other landscape materials arranged in a manner to produce an aesthetic effect appropriate for the use of the land (TMC 18.06.490). For the purpose of this analysis, this includes the establishment of new lawn or grass. Please mark the appropriate response.</p> <p>NO – Checklist Complete YES – Checklist Complete</p>
------------	--

Part B: Please answer each question below for projects that include grading. Review each question carefully, considering all phases of your project including, but not limited to construction, normal operation, potential emergency operation, and ongoing and scheduled maintenance. Continue to the next question as directed for each No or Yes answer.

<p>1-1 Will the project involve the modification of a watercourse bank or bank of the Green/Duwamish or Black Rivers between the ordinary high water mark and top of bank? This includes any projects that will require grading on any slope leading to a river or stream, but will not require work below the ordinary high water mark. Work below the ordinary high water mark is covered in Part C. Please mark the appropriate response.</p> <p>NO - Continue to Question 1-2 YES - Continue to Question 1-2</p>
<p>1-2 Could the construction, operation, or maintenance of the project result in sediment transport off site or increased rates of erosion and/or sedimentation in watercourses, the Green/Duwamish rivers, or the Black River? Most projects that involve grading have the potential to result in increased erosion and/or sedimentation as a result of disturbances to the soil or earth. If your project involves grading and you have not prepared a Temporary Erosion and Sedimentation Control Plan specifically designed to retain 100 percent of the runoff (including during construction) from impervious surface or disturbed soils, answer Yes to this question. If your project is normally exempt under the Tukwila Municipal Code and would not require the preparation of a Temporary Erosion and Sedimentation Control Plan, BUT may still result in erosion or sediment transport off site or beyond the work area, answer Yes to this question. Please mark the appropriate response.</p> <p>NO - Continue to Question 1-3 YES - Continue to Question 1-3</p>
<p>1-3 Will the project result in the construction of new impervious surfaces? Impervious surfaces include those hard surfaces which prevent or restrict the entry of water into the soil in the manner that such water entered the soils under natural conditions prior to development; or a hard surface area that causes water to run off the surface in greater quantity or at an increased rate of flow from the flow presented under natural conditions prior to development. Such areas include, but are not limited to, rooftops, asphalt or concrete paving, compacted surfaces, or other surfaces that similarly affect the natural infiltration or runoff patterns existing prior to development (TMC 18.06.445). Please mark the appropriate response.</p> <p>NO - Continue to Question 2-0 (Page 2) YES - Continue to Question 1-4</p>
<p>1-4 Will your project generate stormwater from the creation of impervious surfaces that will not be infiltrated on site? For the purpose of this analysis, infiltration includes the use of a stormwater treatment and management system intended to contain all stormwater on site by allowing it to seep into pervious surface or through other means to be introduced into the ground. If your project involves the construction of impervious surface and does not include the design of a stormwater management system specifically designed to infiltrate stormwater, answer Yes to this question. Please mark the appropriate response.</p> <p>NO - Continue to Question 2-0 (Page 2) YES - Continue to Question 2-0 (Page 2)</p>

Part C: Please review each question below for projects that include clearing. Review each question carefully, considering all phases of your project including, but not limited to construction, normal operation, potential emergency operation, and ongoing and scheduled maintenance. Continue to the next question as directed for each No or Yes answer.

<p>2-1</p>	<p>Will the project involve clearing within 200 feet of the ordinary high water mark of a watercourse or the Green/Duwamish or Black Rivers? Please mark the appropriate response.</p> <p>NO - Continue to Question 3-0 (Page 2)</p> <p>YES - Continue to Question 2-2</p>
<p>2-2</p>	<p>Will the project involve clearing of any trees within 200 feet of the ordinary high water mark of a watercourse or the Green/Duwamish or Black Rivers? A tree is defined by TMC 18.06.845 as any self-supporting woody plant, characterized by one main trunk, with a potential diameter-breast-height of 2 inches or more and potential minimum height of 10 feet. Please mark the appropriate response.</p> <p>NO - Continue to Question 2-3</p> <p>YES - Continue to Question 2-3</p>
<p>2-3</p>	<p>Will the project involve clearing of any evergreen trees from within 200 feet of the ordinary high water mark of a watercourse or the Green/Duwamish or Black Rivers? For the purpose of this analysis evergreen means any tree that does not regularly lose all its leaves or needles in the fall. Please mark the appropriate response.</p> <p>NO - Continue to Question 2-4</p> <p>YES - Continue to Question 2-4</p>
<p>2-4</p>	<p>Will the project involve clearing within 100 feet of the ordinary high water mark of a watercourse or the Green/Duwamish or Black Rivers? Please mark the appropriate response.</p> <p>NO - Continue to Question 3-0 (Page 2)</p> <p>YES - Continue to Question 2-5</p>
<p>2-5</p>	<p>Will the project involve clearing within 40 feet of the ordinary high water mark of a watercourse or the Green/Duwamish or Black Rivers? Please mark the appropriate response.</p> <p>NO - Continue to Question 3-0 (Page 2)</p> <p>YES - Continue to Question 3-0 (Page 2)</p>

Part D: Please review each question below for projects that include work below the ordinary high water mark of watercourses or the Duwamish/Green or Black Rivers or in wetlands. Review each question carefully, considering all phases of your project including, but not limited to, construction, normal operation, potential emergency operation, and ongoing and scheduled maintenance. Continue to the next question as directed for each No or Yes answer.

<p>3-1</p>	<p>Will the project involve the direct alteration of the channel or bed of a watercourse, the Green/Duwamish rivers, or Black River? For the purpose of this analysis, channel means the area between the ordinary high water mark of both banks of a stream, and bed means the stream bottom substrates, typically within the normal wetted-width of a stream. This includes both temporary and permanent modifications. Please mark the appropriate response.</p> <p>NO - Continue to Question 3-2</p> <p>YES - Continue to Question 3-2</p>
<p>3-2</p>	<p>Will the project involve any physical alteration to a watercourse or wetland connected to the Green/Duwamish River? For the purpose of this analysis, "connected to the river means" flowing into via a surface connection or culvert, or having other physical characteristics that allow for access by salmonids. This includes impacts to areas such as sloughs, side channels, remnant oxbows, ditches formed from channelized portions of natural watercourses or any area that may provide off channel rearing habitat for juvenile fish from the Duwamish River. This includes both temporary construction alterations and permanent modifications. Watercourses or wetlands draining to the Green/Duwamish River that have a hanging culvert, culvert with a flap gate, diversion, or any entirely man-made or artificial structure that precludes fish access should answer Yes to this question. Please mark the appropriate response.</p> <p>NO - Continue to Question 3-3</p> <p>YES - Continue to Question 3-3</p>
<p>3-3</p>	<p>Will the project result in the construction of a new structure or hydraulic condition that could be a barrier to salmonid passage within the watercourse or the Green/Duwamish or Black Rivers? For the purpose of this analysis, a barrier means any artificial or human modified structure or hydraulic condition that inhibits the natural upstream or downstream movement of salmonids, including both juveniles and adults. Please mark the appropriate response.</p> <p>NO - Continue to Question 3-4</p> <p>YES - Continue to Question 3-4</p>
<p>3-4</p>	<p>Will the project involve a temporary or permanent change in the cross-sectional area of a watercourse or the Green/Duwamish or Black Rivers? For the purpose of this analysis, the cross-sectional area is defined as a profile taken from the ordinary high water mark on the right bank to the ordinary high water mark on the left bank. Please mark the appropriate response.</p> <p>NO - Continue to Question 3-5</p> <p>YES - Continue to Question 3-5</p>
<p>3-5</p>	<p>Will the project require the removal of debris from within the ordinary high water mark of a watercourse or the Green/Duwamish or Black Rivers? For the purpose of this analysis, debris includes, but is not limited to fallen trees, logs, shrubs, rocks, piles, rip-rap, submerged metal, and broken concrete or other building materials. Projects that would require debris removal from a watercourse or the Green/Duwamish or Black Rivers as part of a maintenance activity should answer Yes to this question. Please mark the appropriate response.</p> <p>NO - Continue to Question 3-6</p> <p>YES - Continue to Question 3-6</p>

Part D (continued)

3-6 Will the project result in impacts to watercourses or wetlands that have a surface connection to another watercourse or the Green/Duwamish or Black Rivers but do not contain habitat conditions that support salmonid use? Such areas may include, but not be limited to hillside seeps and wetlands isolated from the watercourse or river that have a surface water connection to the watercourse or river but are not assessable, nor would be assessable to salmonids under natural conditions. Wetlands with a "functions and values" rating for baseflow/groundwater support of 9 and above (or moderate) as described in Cooke (1996) should be included. **Please mark the appropriate response.**

NO - Continue to Question 3-7

YES - Continue to Question 3-7

3-7 Will the project include the construction of artificial waterways or wetlands connected to a watercourse containing salmonids? For the purpose of this analysis, the construction of artificial waterways or wetlands includes wetlands, channels, sloughs, or other habitat feature created to enhance wildlife use, particularly waterfowl use, or may be attractive to wildlife, particularly waterfowl. **Please mark the appropriate response.**

NO - Continue to Question 3-8

YES - Continue to Question 3-8

3-8 Will the project include bank stabilization? For the purpose of this analysis, bank stabilization includes, but is not limited to, rip-rap, rock, log, soil, or vegetated revetments, concrete structures, or similar structures. **Please mark the appropriate response.**

NO - Continue to Question 4-0 (Page 2)

YES - Continue to Question 4-0 (Page 2)

STATE ENVIRONMENTAL POLICY ACT CHECKLIST

Please respond to all questions. Use separate sheets as necessary.

Applicant Responses:

Agency Comments

A. BACKGROUND

1. Name of proposed project, if applicable:

2. Name of Applicant:

3. Date checklist prepared:

4. Agency requesting checklist:
City of Tukwila

5. Proposed timing or schedule (including phasing, if applicable):

6. Do you have any plans for future additions, expansion, or further activity related to or connected with this proposal? If yes, explain.

7. List any environmental information you know about that has been prepared, or will be prepared, directly related to this proposal.

8. Do you know whether applications are pending for governmental approvals of other proposals directly affecting the property covered by your proposal? If yes, explain.

Please respond to all questions. Use separate sheets as necessary.

Applicant Responses:

Agency Comments

2. Describe waste materials that will be discharged into the ground from septic tanks or other sources, if any (for example: Domestic sewage; industrial, containing the following chemicals...; agricultural; etc). Describe the general size of the system, the number of such systems, the number of houses to be served (if applicable), or the number of animals or humans the system(s) are expected to serve:
-
- c. Water Runoff (including storm water):
 1. Describe the source of runoff (including storm water) and method of collection and disposal, if any (include quantities, if known). Where will this water flow? Will this water flow? Will this water flow into other waters? If so, describe.

 2. Could waste materials enter ground or surface waters? If so, generally describe.
-
- d. Proposed measures to reduce or control surface, ground, and runoff water impacts, if any:

Please respond to all questions. Use separate sheets as necessary.

Applicant Responses:

Agency Comments

4. Plants

a. Check or circle types of vegetation found on the site:

	Deciduous tree: alder, maple, aspen, other
	Evergreen tree: fir, cedar, pine, other
	Shrubs
	Grass
	Pasture
	Crop or grain
	Wet soil plants: cattail, buttercup, bulrush, skunk Cabbage, other
	Water plants: water lily, eelgrass, milfoil, other
	Other types of vegetation

b. What kind and amount of vegetation will be removed or altered?

c. List threatened or endangered species known to be on or near the site.

d. Proposed landscaping, use of native plants, or other measures to preserve or enhance vegetation on the site, if any:

Please respond to all questions. Use separate sheets as necessary.

Applicant Responses:

Agency Comments

5. Animals

- a. Circle any birds or animals which have been observed on or near the site or are known to be on or near the site:

Birds	Hawk, heron, eagle, songbirds, other:
Mammals	Deer, bear, elk, beaver, other:
Fish	Bass, salmon, trout, herring, shellfish, other:
Other	

- b. List any threatened or endangered species known to be on or near the site.

- c. Is the site part of a migration route? If so, explain.

- d. Proposed measures to preserve or enhance wildlife, if any:

6. Energy and Natural Resources

- a. What kinds of energy (electric, natural gas, oil, wood stove, solar) will be used to meet the completed project's energy needs? Describe whether it will be used for heating, manufacturing, etc.

Please respond to all questions. Use separate sheets as necessary.

Applicant Responses:

Agency Comments

- b. Would your project affect the potential use of solar energy by adjacent properties? If so, generally describe.

- c. What kinds of energy conservation features are included in the plans of this proposal? List other proposed measures to reduce or control energy impacts, if any:

7. Environmental Health

- a. Are there any environmental health hazards, including exposure to toxic chemicals, risk of fire and explosion, spill, or hazardous waste, that could occur as a result of this proposal? If so, describe.

1. Describe special emergency services that might be required.

2. Proposed measures to reduce or control environmental health hazards, if any:

Please respond to all questions. Use separate sheets as necessary.

Applicant Responses:

Agency Comments

16. Utilities

- a. Circle utilities currently available at the site:

electricity, natural gas, water, refuse service, telephone, sanitary sewer, septic system

other: _____

- b. Describe the utilities that are proposed for the project, the utility providing the service, and the general construction activities on the site or in the immediate vicinity which might be needed.

(NON-PROJECT PROPOSALS (E.G., SUBURBAN PLANS AND ZONING CODE TEXT CHANGES) MUST COMPLETE THE FOLLOWING PAGES).

C. SUPPLEMENTAL SHEET FOR NON-PROJECT PROPOSALS

(do not use this sheet for project actions)

Because these questions are very general, it may be helpful to read them in conjunction with the list of elements of the environment.

When answering these questions, be aware of the extent the proposal, or the types of activities likely to result from the proposal, would affect the item at a greater intensity or at a faster rate than if the proposal were not implemented. Respond briefly and in general terms.

Please respond to all questions. Use separate sheets as necessary.

Applicant Responses:

Agency Comments

1. How would the proposals be likely to increase discharge to water; emissions to air; production, storage, or release of toxic or hazardous substances; or production of noise?

Proposed measures to avoid or reduce such increases are:

2. How would the proposal be likely to affect plants, animals, fish, or marine life?

Proposed measures to protect or conserve plants, animals, fish, or marine life are:

Please respond to all questions. Use separate sheets as necessary.

Applicant Responses:

Agency Comments

3. How would the proposal be likely to deplete energy or natural resources?

Proposed measures to protect or conserve energy and natural resources are:

4. How would the proposal be likely to use or affect environmentally sensitive areas or areas designated (or eligible or under study) for governmental protection; such as parks, wilderness, wild and scenic rivers, threatened or endangered species habitats, historic or cultural sites, wetlands, floodplains, or prime farmlands?

Proposed measures to protect such resources or to avoid or reduce impacts are:

5. How would the proposal be likely to affect land and shoreline use, including whether it would allow or encourage land or shoreline uses incompatible with existing plans?

Please respond to all questions. Use separate sheets as necessary.

Applicant Responses:

Agency Comments

Proposed measures to avoid or reduce shoreline and land use impacts are:

- 6. How would the proposal be likely to increase demands on transportation or public service and utilities?

Proposed measures to reduce or respond to such demand(s) are:

- 7. Identify, if possible, whether the proposal may conflict with Local, State, or Federal laws or requirements for the protection of the environment.

D. SIGNATURE

Under the penalty of perjury the above answers under ESA Screening Checklist and State Environmental Policy Act Checklist are true and complete to the best of my knowledge. I understand that the lead agency is relying on them to make its decision.

Signature: _____

Date Submitted: _____